





To:	Nidan Advanced Fetal Imaging Centre-Ghatkopar
	201,Laxmi Shopping Centre,
	2nd Floor,Next to Near Post Office Opp-Ghatkopar Railway Station-West
	Maharashtra
	Mumbai - 400086
	Contact: 9769075037
	Report Of: Mrs. JINAL MANISH SHAH
	Pt. Contact: 9930554341

SampleID	2200094563
Patient ID	1002255776
Received on	02/08/2022 21:26
Registered on	03/08/2022 19:26
Reported on	04/08/2022 11:15
Referred by	DR.MAYURI BHARADE
Sonography by	DR.NIDHI SHETTY

Risk assessment: Algorithm validated by SURUSS 2003, N.J Wald

EVICOSCREEN - EVIDENCE BASED COMPREHENSIVE PRENATAL SCREENING REPORT

Patient Name: Mrs. JIN	NAL MANISH SHAH	Patient DOB: 26/07/1991	
Ethnicity: Asian	City: MUMBAI	Hospital ID:	

Sample Type:Serum

Method:Electrochemiluminescence

EVIC Screen" is an evidence based prenatal screening program curated by Lilac Insights in accordance with the Fetal Medicine Foundation

(UK) guidelines for First Trimester Screening to determine the probability of most common chromosomal aneuploidies in a pregnancy. It utilizes:

• Hormonal values from the pregnancy measured on Fetal Medicine foundation (UK) accredited analyzers and reagents

• Robust indigenous medians from over 5 lac+ pregnancies for different gestation ages

• Risk calculations from evidence based algorithms validated through large international studies

• External audit of the prenatal screening program by United Kingdom National External Quality Assessment Service (UKNEQAS) scheme and Randox International Quality Assessment Scheme (RIQAS)

T21 (Down syndrome) 1:88000 Low Risk T18 (Edwards' syndrome) 1:9900 Low Risk	LOW	INTERMEDIATE HIGH	MEDIAN (MoM
T18 (Edwards' syndrome) 1: 9900 L ow Risk			
	LOW	HIGH	Freeß-hCG 0.34
T13 (Patau syndrome) 1: 6200 Dow Risk	LOW	HIGH	PAPP-A 0.48

The First Trimester Screening for the given sample is found SCREEN NEGATIVE.

SUGGESTIONS AND OTHER FINDINGS

In view of low free β hCG, serial growth scans are recommended to assess for fetal growth restriction.



UK NEQAS

Lab Reg. No. 90968

Verified by Mr. Pradip Kadam Incharge Biochemistry

Verified by **Dr. Suresh Bhanushali** MD (Path), Consultant Pathologist Page 1 of 3









Sample ID: 2200094563

Patient name : Mrs. JINAL MANISH SHAH

			PREGNANCY	/ DETAILS				
No. of fetuses	:1		EDD	:06/02/2023	Age at Terr	n :31.5`	/ears	
GA is Based or	n : CRL 66.4mm at 0	01/08/2022	LMP Date	:07/05/2022	LMP Certa	inty :Regul	ar	
Smoking : Non	ne Parity :		Height	:	Weight	:71.00	Kg	
FHR :								
Pre	evious pregnancy hist	ampsia history		Other find	lings			
Down syr	ndrome Edwards'	syndrome	PE in prev	vious pregnancy				
Patau syn				her had PE		Chronic hypertension		
EDD: Estimated	Due Date GA: Gestation Age	e LMP: Last Me	nstrual Period FHR of Birt		D: Neural Tube Defe	ect PE: Pre-ec	lampsia DOB: Date	
			SPECIMEN					
Sample ID	: 2200094563	CRL :	66.4 mm	Test Name	Conc.	Unit	Corr. Mom	
Collection Dat	te :02/08/2022	CRL2 :		Free-ß-hCG	9.19	ng/mL	0.34	
Scan Date	:01/08/2022	BPD :		NB	Present			
GA at Coll Dat	te: 13 Weeks 1 Days	BPD2 :		NT	1.9	mm	1.32	
GA at Scan Da	te: 13 Weeks 0 Days	HC :		PAPP-A	1767.00	mIU/L	0.48	
Received on	:02/08/2022	HC2 :						
GA: Gestation A	Age CRL: Crown Rump Lengtl			lead Circumference f mancy-associated Plas		Human Chori	onic Gonadotropin	
			RISK					
Disorder: Dow	vn Syndrome				Result:	Low Risk	•	
Final risk:	1:88000	Age risk:	1:820					
Cutoff 2	1:250	Risk type	Risk At Term					
Disorder: Edwards' Syndrome				Result:	Low Risk	•		
Final risk:	1:9900	Age risk:	1:6600					
Cutoff 2	1:100	Risk type	Risk At Term					
Disorder: Pata	au Syndrome				Result:	Low Risk		
Final risk:	1:6200	Age risk:	1:9800					
Cutoff 2	1:100	Risk type	Risk At Term					









Page **2** of 3

Verified by **Mr. Pradip Kadam** Incharge Biochemistry

Verified by **Dr. Suresh Bhanushali** MD (Path), Consultant Pathologist

Lilac Insights Pvt. Ltd. 301-302, Building A-1, Rupa Solitaire Millennium Business Park, MIDC Industrial Area, Sector-1, Navi Mumbai, Maharashtra 400710. Phone: +91 22 41841438; Website: www.lilacinsights.com; For queries or complaints, please email: info@lilacinsights.com | CIN - U85191MH2011PTC217513







Sample ID: 2200094563

Patient name : Mrs. JINAL MANISH SHAH

PRENATAL SCREENING BACKGROUND

Every pregnant woman carries a certain degree of risk that her fetus/baby may have certain chromosomal defect/ abnormalities. Diagnosis of these fetal chromosomal abnormalities requires confirmatory testing through analysis of amniocytes or Chorionic Villous Samples (CVS). However, amniocentesis and CVS procedures carry some degree of risk for miscarriage or other pregnancy complications (Tabor and Alfirevic, 2010). Therefore in routine practice, prenatal screening tests are offered to a pregnant woman to provide her a personalised risk for the most common chromosomal abnormalities (T21-Down syndrome, T18- Edwards' syndrome, T13- Patau syndrome) using her peripheral blood sample. Based on this risk assessment, if the risk is high or intermediate, you can take informed decision of opting for invasive procedure such as amniocentesis or CVS followed by confirmatory diagnostic test(s), as per discussion with your clinician.

PRENATAL SCREENING TESTS ARE NOT CONFIRMATORY TESTS. THEY ARE LIKELIHOOD ASSESSMENT TESTS.

You may get your prenatal screening result as either of the following:-

High Risk

High Risk or Screen Positive Result: A High Risk Result does not mean that the pregnancy is affected with the condition. It means that the likelihood of the pregnancy having a condition is higher than the cut-off (Most commonly used cut-off is 1:250 and this represents the risk of pregnancy loss from confirmatory testing through CVS or amniocentesis).

Low Risk

Intermediat

Low Risk or Screen Negative Result: A Low Risk result does not mean that the pregnancy is not affected with a condition. It means that the likelihood of the pregnancy having a condition is lower than the cut-off.

Intermediate Risk result: An intermediate Risk result means that the pregnancy has an equivocal or a borderline risk of being affected with a condition. In this case, you may want to choose a second stage screening modality like an Integrated Screening Test that is done between 16 to 20 weeks of pregnancy or a Non-invasive Prenatal Screening Test between 12 to 20 weeks of pregnancy before taking a decision on an invasive confirmatory testing. This will help you improve the sensitivity of the screening test keeping an invasive test a last option were you to come as a high risk in the second stage screening test.

SIGNIFICANCE OF MULTIPLE OF MEDIANS (MoMs)

Prenatal Screening determines the likelihood of the pregnancy being affected with certain conditions by analysing levels of certain hormones. These hormones are Feto placental products (released by Fetus or placenta). Their levels not only indicate propensity of the fetus being affected with certain chromosomal conditions, they also provide indication of placental insufficiency that can potentially lead to pregnancy complications like Pre-Eclampsia or Intra-Uterine Growth Restriction. It is therefore important to take cognisance of the Reported MoMs alongside the Risk results.

For more information, visit our website at: www.lilacinsights.com/faq-pns

DISCLAIMERS

Limitations of the Test:

As prenatal screening tests are not confirmatory diagnostic tests, the possibility of false positive or false negative results can not be denied. The results issued for this test does not eliminate the possibility that this pregnancy may be associated with other chromosomal or sub- chromosomal abnormalities, birth defects and other complications.

Nuchal Translucency is the most prominent marker in screening for Trisomy 13, 18, 21 in the first trimester and should be measured in accordance with the Fetal Medicine Foundation (UK) guidelines. Nuchal Translucency or Crown Rump Length measurement, if not performed as per FMF (UK) imaging guidelines may lead to erroneous risk assessments and Lilac Insights bears no responsibility for errors arising due to sonography measurements not performed as per these criteria defined by international bodies such as FMF (UK), ISUOG.

It is assumed that the details provided along with the sample are correct. The manner in which this information is used to guide patient care is the responsibility of the healthcare provider, including advising for the need for genetic counselling or additional diagnostic testing like amniocentesis or Chorionic Villus Sampling. Any diagnostic test should be interpreted in the context of all available clinical findings. As with any medical test, there is always a chance of failure or error in sample analysis though extensive measures are taken to avoid these errors.

Note:

- Quality of the Down syndrome screening program (Biochemical values, MoMs and Risk assessments) is monitored by UKNEQAS on an ongoing basis.
- This interpretation assumes that patient and specimen details are accurate and correct.
- Lilac Insights does not bear responsibility for ultrasound measurements like CRL,NT,NB etc. We strongly recommend that ultrasound measurements are performed as per FMF (UK)/ISUOG practice guidelines.
- It must be clearly understood that the results represent risk and not diagnostic outcomes. Increased risk does not mean that the baby is affected and further tests must be performed before a firm diagnosis can be made. A Low Risk result does not exclude the possibility of Down's syndrome or other abnormalities, as the risk assessment does not detect all affected pregnancies.

END OF REPORT



Page 3 of 3