



To: Indira IVF Hospital Pvt.Ltd-New Delhi

9, South Patel Nagar,

Opposite Metro Pillar 203, Near Patel Nagar Metro

Station

New Delhi - 110008

Contact:

Report Of: Mrs. RANU DEVI W/O PRABHAKAR

Pt. Contact: 9193565430



Sample ID 2260001450

Patient ID

Received on 19/04/2022 15:07

100227562

Registered on 19/04/2022 17:12

Reported on 19/04/2022 19:32

Referred by DR.RITU PUNHANI

Sonography by DR.ASHUTOSH GUPTA

EVICOSCREEN - EVIDENCE BASED COMPREHENSIVE PRENATAL SCREENING REPORT

Patient Name: Mrs. RANU DEVI W/O PRABHAKAR Patient DOB: 20/06/1989

Ethnicity: Asian City: NEW DELHI Hospital ID: DEL0001158

Sample Type: Serum

Risk assessment: Algorithm validated by SURUSS 2003, N.J Wald

Method: Electrochemiluminescence

EVIC Screen is an evidence based prenatal screening program curated by Lilac Insights in accordance with the Fetal Medicine Foundation (UK) guidelines for First Trimester Screening to determine the probability of most common chromosomal aneuploidies in a pregnancy. It utilizes:

- Hormonal values from the pregnancy measured on Fetal Medicine foundation (UK) accredited analyzers and reagents
- Robust indigenous medians from over 5 lac+ pregnancies for different gestation ages
- Risk calculations from evidence based algorithms validated through large international studies
- External audit of the prenatal screening program by United Kingdom National External Quality Assessment Service (UKNEQAS) scheme and Randox International Quality Assessment Scheme (RIQAS)

RI				
T21 (Down syndrome)	1:25000	Low Risk	LOW	INTERMEDIATE HIGH
T18 (Edwards' syndrome)	1: 100000	Low Risk	LOW	HIGH
T13 (Patau syndrome)	1:29000	Low Risk	LOW	HIGH

MULTIPLE OF MEDIAN (MoM)							
Free ß-hCG PAPP-A	0.61 1.28						

INTERPRETATION

The First Trimester Screening for the given sample is found **SCREEN NEGATIVE**.



Verified by
Mr. Pradip Kadam
Incharge Biochemistry

Verified by

Verified by **Dr. Suresh Bhanushali**MD (Path), Consultant Pathologist





Patient name: Mrs. RANU DEVI W/O PRABHAKAR Sample ID: 2260001450

			PREGNANCY	Y DETAILS							
No. of fetuses	s :1		EDD	: 27/10/2022	Age at Terr	n :33.2	Years				
GA is Based o	n : Ass. rep.		LMP Date	: 24/01/2022	LMP Certa	inty : Regu	ty : Regular				
Smoking: No	Smoking: None Parity:		Height	:	Weight : 65.00 Kg		0 Kg				
FHR :											
Pr	revious pregnan	cy history	Pre-ecl	Pre-eclampsia history Other findin			dings				
Down syndrome Edwards' syndrome		PE in pre	PE in previous pregnancy		Insulin dependent diabetes						
Patau syndrome NTD syndrome		Pat. moth	ner had PE	Chronic hypertension							
Assisted Reproduction: IVF Transfer Date: 07/02/2022 Extraction Date: 17/12/2021											
EDD: Estimated Due Date GA: Gestation Age LMP: Last Menstrual Period FHR: Fetal Heart Rate NTD: Neural Tube Defect PE: Pre-eclampsia DOB: Date											
of Birth											
			SPECIMEN	DETAILS							
Sample ID	: 22600014	50 CRL	: 55.8 mm	Test Name	Conc.	Unit	Corr. Mom				
Collection Da	ate : 18/04/202	22 CRL2	:	Free-ß-hCG	19.55	ng/mL	0.61				
Scan Date	: 18/04/202	22 BPD	:	NT	0.7	mm	0.56				
GA at Coll Da	ate: 12 Weeks	4 Days BPD2	:	PAPP-A	5110.00	mIU/L	1.28				
GA at Scan D	ate: 12 Weeks	4 Days HC	:								
Received on	: 19/04/202	22 HC2	:								
GA: Gestation Age CRL: Crown Rump Length BPD: Bi-parietal Diameter HC: Head Circumference free-ß-hCG: free-Beta Human Chorionic Gonadotropin											
		NT: Nuchal Trans.	lucency PAPP-A: Preg	gnancy-associated Plasma P	Protein-A						
RISKS											
Disorder: Down Syndrome				Resu	Result: Lo		k 🛑				
Final risk: 1:25000 Age risk:		1:610									
Cutoff	1:250	Risk type	Risk At Term								
Disorder: Edwards' Syndrome Result: Low Risk						k 🌑					
Final risk:	Final risk: 1:100000 Ag		1:5500								
Cutoff	1:100	Risk type	Risk At Term								
Disorder: Patau Syndrome Result: Low Risk							k 🌑				
Final risk:	1:29000	Age risk:	1:7900								
Cutoff	1:100	Risk type	Risk At Term								











Patient name: Mrs. RANU DEVI W/O PRABHAKAR

Sample ID: 2260001450

PRENATAL SCREENING BACKGROUND

Every pregnant woman carries a certain degree of risk that her fetus/baby may have certain chromosomal defect/ abnormalities. Diagnosis of these fetal chromosomal abnormalities requires confirmatory testing through analysis of amniocytes or Chorionic Villous Samples (CVS). However, amniocentesis and CVS procedures carry some degree of risk for miscarriage or other pregnancy complications (Tabor and Alfirevic, 2010). Therefore in routine practice, prenatal screening tests are offered to a pregnant woman to provide her a personalised risk for the most common chromosomal abnormalities (T21-Down syndrome, T18- Edwards' syndrome, T13- Patau syndrome) using her peripheral blood sample. Based on this risk assessment, if the risk is high or intermediate, you can take informed decision of opting for invasive procedure such as amniocentesis or CVS followed by confirmatory diagnostic test(s), as per discussion with your clinician.

PRENATAL SCREENING TESTS ARE NOT CONFIRMATORY TESTS. THEY ARE LIKELIHOOD ASSESSMENT TESTS.

You may get your prenatal screening result as either of the following:-

High Risk

High Risk or Screen Positive Result: A High Risk Result does not mean that the pregnancy is affected with the condition. It means that the likelihood of the pregnancy having a condition is higher than the cut-off (Most commonly used cut-off is 1:250 and this represents the risk of pregnancy loss from confirmatory testing through CVS or amniocentesis).

Low Risk

Low Risk or Screen Negative Result: A Low Risk result does not mean that the pregnancy is not affected with a condition. It means that the likelihood of the pregnancy having a condition is lower than the cut-off.

Intermediate

Intermediate Risk result: An intermediate Risk result means that the pregnancy has an equivocal or a borderline risk of being affected with a condition. In this case, you may want to choose a second stage screening modality like an Integrated Screening Test that is done between 16 to 20 weeks of pregnancy or a Non-invasive Prenatal Screening Test between 12 to 20 weeks of pregnancy before taking a decision on an invasive confirmatory testing. This will help you improve the sensitivity of the screening test keeping an invasive test a last option were you to come as a high risk in the second stage screening test.

SIGNIFICANCE OF MULTIPLE OF MEDIANS (MoMs)

Prenatal Screening determines the likelihood of the pregnancy being affected with certain conditions by analysing levels of certain hormones. These hormones are Feto placental products (released by Fetus or placenta). Their levels not only indicate propensity of the fetus being affected with certain chromosomal conditions, they also provide indication of placental insufficiency that can potentially lead to pregnancy complications like Pre-Eclampsia or Intra-Uterine Growth Restriction. It is therefore important to take cognisance of the Reported MoMs alongside the Risk results.

For more information, visit our website at: <u>www.lilacinsights.com/faq-pns</u>

DISCLAIMERS

Limitations of the Test:

As prenatal screening tests are not confirmatory diagnostic tests, the possibility of false positive or false negative results can not be denied. The results issued for this test does not eliminate the possibility that this pregnancy may be associated with other chromosomal or sub- chromosomal abnormalities, birth defects and other complications.

Nuchal Translucency is the most prominent marker in screening for Trisomy 13, 18, 21 in the first trimester and should be measured in accordance with the Fetal Medicine Foundation (UK) guidelines. Nuchal Translucency or Crown Rump Length measurement, if not performed as per FMF (UK) imaging guidelines may lead to erroneous risk assessments and Lilac Insights bears no responsibility for errors arising due to sonography measurements not performed as per these criteria defined by international bodies such as FMF (UK), ISUOG.

It is assumed that the details provided along with the sample are correct. The manner in which this information is used to guide patient care is the responsibility of the healthcare provider, including advising for the need for genetic counselling or additional diagnostic testing like amniocentesis or Chorionic Villus Sampling. Any diagnostic test should be interpreted in the context of all available clinical findings. As with any medical test, there is always a chance of failure or error in sample analysis though extensive measures are taken to avoid these errors.

Note:

- Quality of the Down syndrome screening program (Biochemical values, MoMs and Risk assessments) is monitored by UKNEQAS on an ongoing basis.
- This interpretation assumes that patient and specimen details are accurate and correct.
- Lilac Insights does not bear responsibility for the NT & CRL measurements. We strongly recommend that NT/ CRL measurements are performed as per FMF (UK)/ISUOG practice guidelines.
- It must be clearly understood that the results represent risk and not diagnostic outcomes. Increased risk does not mean that the baby is affected and
 further tests must be performed before a firm diagnosis can be made. A Low Risk result does not exclude the possibility of Down's syndrome or other
 abnormalities, as the risk assessment does not detect all affected pregnancies.

END OF REPORT



