



To: Himagiri Hospital-Hyderabad

Plot No.4, 5,23 & 24,Old Mumbai Hwy,Indira

Nagar, Gachibowli,

Telangana

Hyderabad - 500032

Contact:

Report Of: Mrs. KEERTHANA

Pt. Contact: 9848088326



Sample ID	2270008142		
Patient ID	1002255481		
Received on	01/08/2022 13:32		
Registered on	03/08/2022 12:42		
Reported on	04/08/2022 10:03		
Referred by	DR.SWATHI REDDY		
Sonography by	DR.LAVANYA		

## **EVICOSCREEN - EVIDENCE BASED COMPREHENSIVE PRENATAL SCREENING REPORT**

Patient Name: Mrs. KEERTHANA		Patient DOB: 21/07/2003		
Ethnicity: Asian	City: HYDERABAD	Hospital ID:		

Sample Type:Serum

Risk assessment: Algorithm validated by SURUSS 2003, N.J Wald

Method:Time-resolved Fluroimmunoassay

EVIC Screen is an evidence based prenatal screening program curated by Lilac Insights in accordance with the Fetal Medicine Foundation (UK) guidelines for First Trimester Screening to determine the probability of most common chromosomal aneuploidies in a pregnancy. It utilizes:

- Hormonal values from the pregnancy measured on Fetal Medicine foundation (UK) accredited analyzers and reagents
- Robust indigenous medians from over 5 lac+ pregnancies for different gestation ages
- Risk calculations from evidence based algorithms validated through large international studies
- External audit of the prenatal screening program by United Kingdom National External Quality Assessment Service (UKNEQAS) scheme and Randox International Quality Assessment Scheme (RIQAS)

RISK ASSESSMENT				
T21 (Down syndrome)	1:23000	Low Risk	LOW	INTERMEDIATE HIGH
T18 (Edwards' syndrome)	1: 100000	Low Risk	LOW	HIGH
T13 (Patau syndrome)	1: 11000	Low Risk	LOW	HIGH

MULTIPLE OF MEDIAN (MoM)				
Free ß-hCG	0.56			
PAPP-A	0.85			

# **INTERPRETATION**

The First Trimester Screening for the given sample is found **SCREEN NEGATIVE**.











Verified by **Dr. Suresh Bhanushali**MD (Path), Consultant Pathologist





Patient name: Mrs. KEERTHANA Sample ID: 2270008142

			PREGNANCY	DETAILS			
No. of fetuses	:1		EDD	:04/02/2023	Age at Term : 19.5 Years		
GA is Based or	n : CRL 66.7mm at 3	0/07/2022	LMP Date	: 22/04/2022	LMP Certainty : Regular		ılar
Smoking: Nor	ne <b>Parity</b> :		Height	:	Weight	: 45.0	0 Kg
FHR :							
Pre	evious pregnancy histo	ory	Pre-eclampsia history		Other findings		
Down syndrome Edwards' syndrome		PE in previous pregnancy		Insulin dependent diabetes			
Patau syr	Patau syndrome NTD syndrome		Pat. mother had PE		Chronic hypertension		
EDD: Estimated	Due Date   GA: Gestation Age	/ LMP: Last Me	nstrual Period   FHR:	Fetal Heart Rate   NTD: N	leural Tube Defe	ect   PE: Pre-e	clampsia   DOB: Date
			of Birth	1			
			SPECIMEN D	DETAILS			
Sample ID	:2270008142	CRL :	66.7 mm	Test Name	Conc.	Unit	Corr. Mom
Collection Da	te :30/07/2022	CRL2 :		Free-ß-hCG	30.57	ng/mL	0.56
Scan Date	: 30/07/2022	BPD :		PAPP-A	5120.00	mU/L	0.85
GA at Coll Dat	te: 13 Weeks 0 Days	BPD2 :					
GA at Scan Da	te: 13 Weeks 0 Days	HC :					
Received on	:01/08/2022	HC2 :					
GA: Gestation A	Age   CRL: Crown Rump Length		•	•		Human Choi	ionic Gonadotropin
	NT: I	Nuchal Translud	cency   PAPP-A: Pregr	nancy-associated Plasma P	rotein-A		
			RISKS	5			
Disorder: Dov	vn Syndrome			Resu	ılt:	Low Risl	<b>(</b>
Final risk:	1:23000	Age risk:	1:1500				
Cutoff	1:250	Risk type	Risk At Term				
Disorder: Edwards' Syndrome Result: Low Risk						<b>(</b>	
Final risk:	1:100000	Age risk:	1:9000				
Cutoff	1:100	Risk type	Risk At Term				
Disorder: Pata	Disorder: Patau Syndrome Result: Low Risk						
Final risk:	1:11000	Age risk:	1:14000				



1:100

Cutoff



Risk At Term

Risk type







Patient name: Mrs. KEERTHANA Sample ID: 2270008142

### PRENATAL SCREENING BACKGROUND

Every pregnant woman carries a certain degree of risk that her fetus/baby may have certain chromosomal defect/ abnormalities. Diagnosis of these fetal chromosomal abnormalities requires confirmatory testing through analysis of amniocytes or Chorionic Villous Samples (CVS). However, amniocentesis and CVS procedures carry some degree of risk for miscarriage or other pregnancy complications (Tabor and Alfirevic, 2010). Therefore in routine practice, prenatal screening tests are offered to a pregnant woman to provide her a personalised risk for the most common chromosomal abnormalities (T21-Down syndrome, T18- Edwards' syndrome, T13- Patau syndrome) using her peripheral blood sample. Based on this risk assessment, if the risk is high or intermediate, you can take informed decision of opting for invasive procedure such as amniocentesis or CVS followed by confirmatory diagnostic test(s), as per discussion with your clinician.

### PRENATAL SCREENING TESTS ARE NOT CONFIRMATORY TESTS. THEY ARE LIKELIHOOD ASSESSMENT TESTS.

You may get your prenatal screening result as either of the following:-

High Risk

**High Risk or Screen Positive Result:** A High Risk Result does not mean that the pregnancy is affected with the condition. It means that the likelihood of the pregnancy having a condition is higher than the cut-off (Most commonly used cut-off is 1:250 and this represents the risk of pregnancy loss from confirmatory testing through CVS or amniocentesis).

Low Risk

**Low Risk or Screen Negative Result:** A Low Risk result does not mean that the pregnancy is not affected with a condition. It means that the likelihood of the pregnancy having a condition is lower than the cut-off.

**Intermediate Risk result:** An intermediate Risk result means that the pregnancy has an equivocal or a borderline risk of being affected with a condition. In this case, you may want to choose a second stage screening modality like an Integrated Screening Test that is done between 16 to 20 weeks of pregnancy or a Non-invasive Prenatal Screening Test between 12 to 20 weeks of pregnancy before taking a decision on an invasive confirmatory testing. This will help you improve the sensitivity of the screening test keeping an invasive test a last option were you to come as a high risk in the second stage screening test.

## SIGNIFICANCE OF MULTIPLE OF MEDIANS (MoMs)

Prenatal Screening determines the likelihood of the pregnancy being affected with certain conditions by analysing levels of certain hormones. These hormones are Feto placental products (released by Fetus or placenta). Their levels not only indicate propensity of the fetus being affected with certain chromosomal conditions, they also provide indication of placental insufficiency that can potentially lead to pregnancy complications like Pre-Eclampsia or Intra-Uterine Growth Restriction. It is therefore important to take cognisance of the Reported MoMs alongside the Risk results.

For more information, visit our website at: www.lilacinsights.com/faq-pns

## **DISCLAIMERS**

### Limitations of the Test:

As prenatal screening tests are not confirmatory diagnostic tests, the possibility of false positive or false negative results can not be denied. The results issued for this test does not eliminate the possibility that this pregnancy may be associated with other chromosomal or sub- chromosomal abnormalities, birth defects and other complications.

Nuchal Translucency is the most prominent marker in screening for Trisomy 13, 18, 21 in the first trimester and should be measured in accordance with the Fetal Medicine Foundation (UK) guidelines. Nuchal Translucency or Crown Rump Length measurement, if not performed as per FMF (UK) imaging guidelines may lead to erroneous risk assessments and Lilac Insights bears no responsibility for errors arising due to sonography measurements not performed as per these criteria defined by international bodies such as FMF (UK), ISUOG.

It is assumed that the details provided along with the sample are correct. The manner in which this information is used to guide patient care is the responsibility of the healthcare provider, including advising for the need for genetic counselling or additional diagnostic testing like amniocentesis or Chorionic Villus Sampling. Any diagnostic test should be interpreted in the context of all available clinical findings. As with any medical test, there is always a chance of failure or error in sample analysis though extensive measures are taken to avoid these errors.

### Note:

- Quality of the Down syndrome screening program (Biochemical values, MoMs and Risk assessments) is monitored by UKNEQAS on an ongoing basis.
- This interpretation assumes that patient and specimen details are accurate and correct.
- Lilac Insights does not bear responsibility for ultrasound measurements like CRL,NT,NB etc. We strongly recommend that ultrasound measurements are performed as per FMF (UK)/ISUOG practice guidelines.
- The above risk has been calculated based on Biochemistry values alone.
- It must be clearly understood that the results represent risk and not diagnostic outcomes. Increased risk does not mean that the baby is affected and further tests must be performed before a firm diagnosis can be made. A Low Risk result does not exclude the possibility of Down's syndrome or other abnormalities, as the risk assessment does not detect all affected pregnancies.

END OF REPORT Page 3 of 3

