





To: V2 Diagnostic & Ortho	Centre-Chandigarh
---------------------------	-------------------

#1510. Sector 40-B Chandigarh Chandigarh - 160036 Contact:

Report Of: Mrs. POOJA

Pt. Contact: 9053417557

SampleID	2300001075	Understand Your
Patient ID	16023624	Report In Detail
Received on	20/04/2023 11:12	
Registered on	20/04/2023 15:59	
Reported on	20/04/2023 16:15	Scan QR code
Referred by	DR.C/O CIVIL HOSP	TAL SEC-22
Sonography by	DR.GEETIKA JAIN	

EVICOSCREEN - EVIDENCE BASED COMPREHENSIVE PRENATAL SCREENING REPORT

Patient Name: Mrs. POOJA

Ethnicity: Asian

Hospital ID:

Patient DOB: 17/10/1994

Risk assessment: Algorithm validated by SURUSS 2003, N.J Wald

Sample Type:Serum

Method:Electrochemiluminescence

EVIC Screen" is an evidence based prenatal screening program curated by Lilac Insights in accordance with the international guidelines for

prenatal screening to determine the probability of most common chromosomal aneuploidies in a pregnancy. It utilizes:

• Hormonal values from the pregnancy measured on Fetal Medicine foundation (UK) accredited analyzers and reagents

Robust indigenous medians from over 5 lac+ pregnancies for different gestation ages

• Risk calculations from evidence based algorithms validated through large international studies

City: CHANDIGARH

• External audit of the prenatal screening program by United Kingdom National External Quality Assessment Service (UKNEQAS) scheme and Randox International Quality Assessment Scheme (RIQAS)

RI	SK ASSESSMEN	IT			MULTIPLE OF
T21 (Down syndrome)	1:28000	Low Risk	LOW	INTERMEDIATE HIGH	MEDIAN (MoM)
T18 (Edwards' syndrome)	1:100000	Low Risk	LOW	HIGH	Freeß-hCG 1.34
T13 (Patau syndrome)	1:81000	Low Risk	LOW	HIGH	PAPP-A 1.25
		INTERPRETAT	ΓΙΟΝ		

The First Trimester Screening for the given sample is found SCREEN NEGATIVE.

UK NEQAS

Lab Reg. No. 90968

Verified by

Mr. Pradip Kadam

Incharae Biochemistry

Verified by Dr. Suresh Bhanushali MD (Path), Consultant Pathologist

of 3 Page 1







DDECNANCY DETAILS



Sample ID: 2300001075

Patient name : Mrs. POOJA

			PREGNANC				
No. of fetuses	:1		EDD	:01/11/2023	Age at Term	: 29.0 Yea	irs
GA is Based or	n : CRL 52.6mm at	18/04/2023	LMP Date	:25/01/2023	LMP Certain	t y :Regular	
Smoking: Non	ne Parity :		Height	:	Weight	: 62.00 Kg	8
FHR :							
Pre	evious pregnancy hist	ory	Pre-ec	ampsia history	С	ther findin	igs
Down syr	ndrome 🗌 Edwards'	syndrome	PE in pre	vious pregnancy	Insulin	dependento	liabetes
Patau syn	ndrome 🔲 NTD sync	Irome	Pat. moth	ner had PE	Chroni	ic hypertensi	on
EDD: Estimated	Due Date GA: Gestation Ag	e LMP: Last Me	nstrual Period FHR	: Fetal Heart Rate NTD: N	leural Tube Defect	PE: Pre-eclan	npsia DOB: Date
			ofBirt				
			SPECIMEN	DETAILS			
Sample ID	:2300001075	CRL :	52.6 mm	Test Name	Conc.	Unit	Corr. Mom
Collection Dat	te : 18/04/2023	CRL2 :		Free-ß-hCG	48.88	ng/mL	1.34
Scan Date	: 18/04/2023	BPD :		NB	Present		
GA at Coll Dat	te : 11 Weeks 6 Days	BPD2 :		NT	1.4	mm	1.18
GA at Scan Da	te : 11 Weeks 6 Days	HC :		PAPP-A	3120.00	mIU/L	1.25
Received on	: 20/04/2023	HC2 :					
GA: Gestation A	Age CRL: Crown Rump Lengt					uman Chorioni	c Gonadotropin
GA: Gestation A				lead Circumference free-l mancy-associated Plasma F		uman Chorioni	c Gonadotropin
GA: Gestation A				nancy-associated Plasma F		uman Chorioni	ic Gonadotropin
GA: Gestation A	NT:		cency PAPP-A: Preg	nancy-associated Plasma F	Protein-A	uman Chorioni	c Gonadotropin
Disorder: Dow	NT:		cency PAPP-A: Preg	nancy-associated Plasma F	Protein-A		c Gonadotropin
Disorder: Dow Final risk:	NT: vn Syndrome	Nuchal Translud	cency PAPP-A: Preg RISK	nancy-associated Plasma F	Protein-A		c Gonadotropin
Disorder: Dow Final risk: Cutoff	NT: vn Syndrome 1:28000	Nuchal Translue	cency PAPP-A: Preg RISK 1:1100	nancy-associated Plasma F	Protein-A Jlt:		c Gonadotropin
Disorder: Dow Final risk: : Cutoff : Disorder: Edw	NT: vn Syndrome 1:28000 1:250	Nuchal Translue	cency PAPP-A: Preg RISK 1:1100	rnancy-associated Plasma P S Resu	Protein-A Jlt:	Low Risk	c Gonadotropin
Disorder: Dow Final risk: Cutoff Disorder: Edw Final risk:	vn Syndrome 1:28000 1:250 vards' Syndrome	Nuchal Translue Age risk: Risk type	cency / PAPP-A: Preg RISK 1:1100 Risk At Term	rnancy-associated Plasma P S Resu	Protein-A Jlt:	Low Risk	c Gonadotropin
Disorder: Dow Final risk: Cutoff Disorder: Edw Final risk:	NT: vn Syndrome 1:28000 1:250 vards' Syndrome 1:100000 1:100	Age risk: Risk type Age risk:	cency PAPP-A: Preg RISK 1:1100 Risk At Term 1:7800	rnancy-associated Plasma P S Resu	Protein-A ult: ult:	Low Risk	c Gonadotropin
Disorder: Dow Final risk: : Cutoff : Disorder: Edw Final risk: : Cutoff : Disorder: Pata	NT: vn Syndrome 1:28000 1:250 vards' Syndrome 1:100000 1:100	Age risk: Risk type Age risk:	cency PAPP-A: Preg RISK 1:1100 Risk At Term 1:7800	nancy-associated Plasma P S Resu Resu	Protein-A ult: ult:	Low Risk	c Gonadotropin



UK NEQAS

Lab Reg. No. 90968

Beele



of **3** Page **2**

Verified by **Mr. Pradip Kadam** Incharge Biochemistry



Lilac Insights Pvt. Ltd. 301-302, Building A-1, Rupa Solitaire Millennium Business Park, MIDC Industrial Area, Sector-1, Navi Mumbai, Maharashtra 400710. Phone: +91 22 41841438; Website: www.lilacinsights.com; For queries or complaints, please email: info@lilacinsights.com | CIN - U85191MH2011PTC217513







Sample ID: 2300001075

Patient name : Mrs. POOJA

PRENATAL SCREENING BACKGROUND

Every pregnant woman carries a certain degree of risk that her fetus/baby may have certain chromosomal defect/ abnormalities. Diagnosis of these fetal chromosomal abnormalities requires confirmatory testing through analysis of amniocytes or Chorionic Villous Samples (CVS). However, amniocentesis and CVS procedures carry some degree of risk for miscarriage or other pregnancy complications (Tabor and Alfirevic, 2010). Therefore in routine practice, prenatal screening tests are offered to a pregnant woman to provide her a personalised risk for the most common chromosomal abnormalities (T21-Down syndrome, T18- Edwards' syndrome, T13- Patau syndrome) using her peripheral blood sample. Based on this risk assessment, if the risk is high or intermediate, you can take informed decision of opting for invasive procedure such as amniocentesis or CVS followed by confirmatory diagnostic test(s), as per discussion with your clinician.

PRENATAL SCREENING TESTS ARE NOT CONFIRMATORY TESTS. THEY ARE LIKELIHOOD ASSESSMENT TESTS.

You may get your prenatal screening result as either of the following:-

High Risk

High Risk or Screen Positive Result: A High Risk Result does not mean that the pregnancy is affected with the condition. It means that the likelihood of the pregnancy having a condition is higher than the cut-off (Most commonly used cut-off is 1:250 and this represents the risk of pregnancy loss from confirmatory testing through CVS or amniocentesis).

Low Risk

Intermediat

Low Risk or Screen Negative Result: A Low Risk result does not mean that the pregnancy is not affected with a condition. It means that the likelihood of the pregnancy having a condition is lower than the cut-off.

Intermediate Risk result: An intermediate Risk result means that the pregnancy has an equivocal or a borderline risk of being affected with a condition. In this case, you may want to choose a second stage screening modality like an Integrated Screening Test that is done between 16 to 20 weeks of pregnancy or a Non-invasive Prenatal Screening Test between 12 to 20 weeks of pregnancy before taking a decision on an invasive confirmatory testing. This will help you improve the sensitivity of the screening test keeping an invasive test a last option were you to come as a high risk in the second stage screening test.

SIGNIFICANCE OF MULTIPLE OF MEDIANS (MoMs)

Prenatal Screening determines the likelihood of the pregnancy being affected with certain conditions by analysing levels of certain hormones. These hormones are Feto placental products (released by Fetus or placenta). Their levels not only indicate propensity of the fetus being affected with certain chromosomal conditions, they also provide indication of placental insufficiency that can potentially lead to pregnancy complications like Pre-Eclampsia or Intra-Uterine Growth Restriction. It is therefore important to take cognisance of the Reported MoMs alongside the Risk results.

For more information, visit our website at: www.lilacinsights.com/faq-pns

DISCLAIMERS

Limitations of the Test:

As prenatal screening tests are not confirmatory diagnostic tests, the possibility of false positive or false negative results can not be denied. The results issued for this test does not eliminate the possibility that this pregnancy may be associated with other chromosomal or sub- chromosomal abnormalities, birth defects and other complications.

Nuchal Translucency is the most prominent marker in screening for Trisomy 13, 18, 21 in the first trimester and should be measured in accordance with the Fetal Medicine Foundation (UK) guidelines. Nuchal Translucency or Crown Rump Length measurement, if not performed as per FMF (UK) imaging guidelines may lead to erroneous risk assessments and Lilac Insights bears no responsibility for errors arising due to sonography measurements not performed as per these criteria defined by international bodies such as FMF (UK), ISUOG.

It is assumed that the details provided along with the sample are correct. The manner in which this information is used to guide patient care is the responsibility of the healthcare provider, including advising for the need for genetic counselling or additional diagnostic testing like amniocentesis or Chorionic Villus Sampling. Any diagnostic test should be interpreted in the context of all available clinical findings. As with any medical test, there is always a chance of failure or error in sample analysis though extensive measures are taken to avoid these errors.

Note:

- Quality of the Down syndrome screening program (Biochemical values, MoMs and Risk assessments) is monitored by UKNEQAS on an ongoing basis.
- This interpretation assumes that patient and specimen details are accurate and correct.
- Lilac Insights does not bear responsibility for ultrasound measurements like CRL,NT,NB etc. We strongly recommend that ultrasound measurements are performed as per FMF (UK)/ISUOG practice guidelines.
- It must be clearly understood that the results represent risk and not diagnostic outcomes. Increased risk does not mean that the baby is affected and
 further tests must be performed before a firm diagnosis can be made. A Low Risk result does not exclude the possibility of Down's syndrome or other
 abnormalities, as the risk assessment does not detect all affected pregnancies.
- Each sample received at Lilac Insights' processing centre is handled with the utmost sensitivity and care. All samples received on Sundays and National holidays are stored as per specific guidelines for the respective specimens and processed on the next day.

END OF REPORT

Page 3 of 3



Lilac Insights Pvt. Ltd. 301-302, Building A-1, Rupa Solitaire Millennium Business Park, MIDC Industrial Area, Sector-1, Navi Mumbai, Maharashtra 400710. Phone: +91 22 41841438; Website: www.lilacinsights.com; For queries or complaints, please email: info@lilacinsights.com | CIN - U85191MH2011PTC217513