





To: Gogoi Nursing Home Complex-Tezpur Sankar Mandir Road, Joymoti Pothar, Tezpur Assam Sonitpur - 784001 Contact: 9435080731 Report Of: Mrs. JANMONI DEKA Pt. Contact: 9085363648		Sample ID Patient ID Received on Registered on Reported on Referred by Sonography by	2300163157 190235884 14/09/2023 19:28 15/09/2023 18:22 - Dr. S GOGOI HAZAR Dr BONANI BORUA	
---	--	--	--	--

EVICOSCREEN - EVIDENCE BASED COMPREHENSIVE PRENATAL SCREENING REPORT

Patient Name: Mrs. JANMONI DEKA

Patient DOB: 17/08/1987

EVIC Screen" is an evidence based prenatal screening program curated by Lilac Insights in accordance with the Fetal Medicine Foundation (UK)

guidelines for First Trimester Screening to determine the probality of most common chromosomal aneuploidies in a pregnancy. It utilizes:

- Hormonal values from the pregnancy measured on Fetal Medicine foundation (UK) accredited analyzers and reagents
- Robust indigenous medians from over 7 lac+ pregnancies for different gestation ages
- Risk calculations from evidence based algorithms validated through large international studies

UKNEQAS: United Kingdom National External Quality Assessment Service

RIQAS: Randox International Quality Assessment Scheme



The Risk Assessment Performed Using CE-Marked Antenatal Risk Evaluation Software Certified by the British Standards Institute (BSI)- ISO 13485:2016

RISK ASSESSMENT					MULTIPLE MEDIAN (
T21 (Down syndrome)	1:241	High Risk	LOW	INTERMEDIATE HIGH	Free ß-hCG	3 92
T18 (Edwards' syndrome)	1:76252	Low Risk	LOW	HIGH	PAPP-A	0.79
T13 (Patau syndrome)	1: 100000	Low Risk	LOW	HIGH	PLGF	1.71
Pre-eclampsia before 34 wee	eks 1:19185	Low Risk	LOW	HIGH		
		INTERPRETAT	ION			

The First Trimester Screening for the given sample is found SCREEN POSITIVE for Down Syndrome.

Beele

SUGGESTIONS AND OTHER FINDINGS

• Detailed anomaly scan with integrated testing combining the second trimester biochemistry and Genetic Sonogram to assess for markers and defects for chromosomal abnormalities

• Definitive testing through fetal karyotyping to confirm.

UK NEQAS

Lab Reg. No. 90968

In view of free bHCG MoMs observed in the mother, kindly consider correlation with fetal growth and well being scan at 28 - 30 weeks.



Verified by **Mr. Pradip Kadam** Incharge Biochemistry

Verified by **Dr. Suresh Bhanushali** MD (Path), Consultant Pathologist Page 1 of 3

Lilac Insights Pvt. Ltd. 301-302, Building A-1, Rupa Solitaire Millennium Business Park, MIDC Industrial Area, Sector-1, Navi Mumbai, Maharashtra 400710. Phone: +91 22 41841438; Website: www.lilacinsights.com; For queries or complaints, please email: info@lilacinsights.com | CIN - U85191MH2011PTC217513



Sample Type:Serum





Patient name : Mrs. JANMONI DEKA

Sample ID: 2300163157

Risk assessment: Algorithm validated by SURUSS 2003, N.J Wald

Method:Time-resolved Fluroimmunoassay									
				PREGNANCY	' DETAILS				
No. of fetuses	s	:1		EDD	: 16/03/2024	Age at Term : 36.6 Years			
GA is Based o	on	: CRL 74.1mm at 1	2/09/2023	LMP Date	: 10/06/2023	LMP Certainty : Regular		lar	
Smoking : No	one	Parity : Nul	liparous	Height	:165.1 cm	Weight : 47.00 Kg) Kg	
Ethinicity:As	sian	FHR :							
Previous pregnancy history Pre-eclampsia history Other findings								dings	
Down syndrome Edwards' syndrome PE in previous pregnancy Insu					ılin dependent diabetes				
Patau syndrome NTD syndrome			Pat. moth	Pat. mother had PE Chronic hypertension			ension		
EDD: Estimated Due Date / GA: Gestation Age / LMP: Last Menstrual Period / FHR: Fetal Heart Rate / NTD: Neural Tube Defect / PE: Pre-eclampsia / DOB: Date of Birth									
SPECIMEN DETAILS									
						_			
Sample ID		:2300163157		74.1 mm	Test Name	Conc.	Unit	Corr. Mom	
Collection Da	ate	: 12/09/2023	CRL2 :		Free-ß-hCG	128.00	ng/ml	3.92	
Scan Date		: 12/09/2023	BPD :		PAPP-A	5256.96	mU/L	0.79	
GA at Coll Da	ate	: 13 Weeks 3 Days	BPD2 :		PLGF	145.09	pg/mL	1.71	
GA at Scan D	ate	: 13 Weeks 3 Days	HC :		MAP	88.33	mmHg	1.10	
Received on		: 14/09/2023	HC2 :		UTPI	0.91		0.60	
GA: Gestation Age CRL: Crown Rump Length BPD: Bi-parietal Diameter HC: Head Circumference free-ß-hCG: free-Beta Human Chorionic Gonadotropin NT: Nuchal Translucency PAPP-A: Pregnancy-associated Plasma Protein-A									
RISKS									
Disorder: Do	wn Sy	ndrome			Res	ult:	High Risk	:	
Final risk:	1:24:	1	Age risk:	1:302					
Cutoff	1:250)	Risk type	Risk At Term					
Disorder: Edwards' Syndrome Result: Low Risk									
Final risk:	1:762	252	Age risk:	1:2718					
Cutoff	1:100)	Risk type	Risk At Term					
Disorder: Patau Syndrome				Res	ult:	Low Risk			
Final risk:	1:100	0000	Age risk:	1:8156					
Cutoff	1:100)	Risk type	Risk At Term					
Disorder: PE < 34 weeks Result: Low Risk									
Final risk:	1:19	185							
Cutoff	1:10	0	Risk type	Risk at Term					



UK NEQAS International Quality Expertise Lab Reg. No. 90968

Biede Verified by **Mr. Pradip Kadam** Incharge Biochemistry



Page 2 of 3







Patient name : Mrs. JANMONI DEKA

Sample ID: 2300163157

Page 3

of 3

PRENATAL SCREENING BACKGROUND

Every pregnant woman carries a certain degree of risk that her fetus/baby may have certain chromosomal defect/ abnormalities. Diagnosis of these fetal chromosomal abnormalities requires confirmatory testing through analysis of amniocytes or Chorionic Villous Samples (CVS). However, amniocentesis and CVS procedures carry some degree of risk for miscarriage or other pregnancy complications (Tabor and Alfirevic, 2010). Therefore in routine practice, prenatal screening tests are offered to a pregnant woman to provide her a personalised risk for the most common chromosomal abnormalities (T21-Down syndrome, T18- Edwards' syndrome, T13- Patau syndrome) using her peripheral blood sample. Based on this risk assessment, if the risk is high or intermediate, you can take informed decision of opting for invasive procedure such as amniocentesis or CVS followed by confirmatory diagnostic test(s), as per discussion with your clinician.

PRENATAL SCREENING TESTS ARE NOT CONFIRMATORY TESTS. THEY ARE LIKELIHOOD ASSESSMENT TESTS.

You may get your prenatal screening result as either of the following:-

High Risk

Low Risk

Intermediate

High Risk or Screen Positive Result: A High Risk Result does not mean that the pregnancy is affected with the condition. It means that the likelihood of the pregnancy having a condition is higher than the cut-off (Most commonly used cut-off is 1:250 and this represents the risk of pregnancy loss from confirmatory testing through CVS or anniocentesis).

Low Risk or Screen Negative Result: A Low Risk result does not mean that the pregnancy is not affected with a condition. It means that the likelihood of the pregnancy having a condition is lower than the cut-off.

Intermediate Risk result: An intermediate Risk result means that the pregnancy has an equivocal or a borderline risk of being affected with a condition. In this case, you may want to choose a second stage screening modality like an Integrated Screening Test that is done between 16 to 20 weeks of pregnancy or a Non-invasive Prenatal Screening Test between 12 to 20 weeks of pregnancy before taking a decision on an invasive confirmatory testing. This will help you improve the sensitivity of the screening test keeping an invasive test a last option were you to come as a high risk in the second stage screening test.

SIGNIFICANCE OF MULTIPLE OF MEDIANS (MoMs)

Prenatal Screening determines the likelihood of the pregnancy being affected with certain conditions by analysing levels of certain hormones. These hormones are Feto placental products (released by Fetus or placenta). Their levels not only indicate propensity of the fetus being affected with certain chromosomal conditions, they also provide indication of placental insufficiency that can potentially lead to pregnancy complications like Pre-Eclampsia or Intra-Uterine Growth Restriction. It is therefore important to take cognisance of the Reported MoMs alongside the Risk results.

For more information, visit our website at: <u>www.lilacinsights.com/faq-pns</u>

DISCLAIMERS

Limitations of the Test:

As prenatal screening tests are not confirmatory diagnostic tests, the possibility of false positive or false negative results can not be denied. The results issued for this test does not eliminate the possibility that this pregnancy may be associated with other chromosomal or sub- chromosomal abnormalities, birth defects and other complications.

Nuchal Translucency is the most prominent marker in screening for Trisomy 13, 18, 21 in the first trimester and should be measured in accordance with the Fetal Medicine Foundation (UK) guidelines. Nuchal Translucency or Crown Rump Length measurement, if not performed as per FMF (UK) imaging guidelines may lead to erroneous risk assessments and Lilac Insights bears no responsibility for errors arising due to sonography measurements not performed as per these criteria defined by international bodies such as FMF (UK), ISUOG.

It is assumed that the details provided along with the sample are correct. The manner in which this information is used to guide patient care is the responsibility of the healthcare provider, including advising for the need for genetic counselling or additional diagnostic testing like amniocentesis or Chorionic Villus Sampling. Any diagnostic test should be interpreted in the context of all available clinical findings. As with any medical test, there is always a chance of failure or error in sample analysis though extensive measures are taken to avoid these errors. **Note:**

- Quality of the Down syndrome screening program (Biochemical values, MoMs and Risk assessments) is monitored by UKNEQAS on an ongoing basis.
- This interpretation assumes that patient and specimen details are accurate and correct.
- Lilac Insights does not bear responsibility for ultrasound measurements like CRL,NT,NB etc. We strongly recommend that performed as per FMF (UK)/ISUOG practice guidelines.
- PE risk stratification is done using a cut-off of 1:100 as per ASPRE study.
- The above risk has been calculated based on Biochemistry values alone.
- It must be clearly understood that the results represent risk and not diagnostic outcomes. Increased risk does not mean that the baby is affected and
 further tests must be performed before a firm diagnosis can be made. A Low Risk result does not exclude the possibility of Down's syndrome or other
 abnormalities, as the risk assessment does not detect all affected pregnancies.
- Each sample received at Lilac Insights' processing centre is handled with the utmost sensitivity and care. All samples received on Sundays and National holidays are stored as per specific guidelines for the respective specimens and processed on the next day.

END OF REPORT





Lilac Insights Pvt. Ltd. 301-302, Building A-1, Rupa Solitaire Millennium Business Park, MIDC Industrial Area, Sector-1, Navi Mumbai, Maharashtra 400710. Phone: +91 22 41841438; Website: www.lilacinsights.com; For queries or complaints, please email: info@lilacinsights.com | CIN - U85191MH2011PTC217513