





To: Anand Clinical Laboratory-Jamnagar

Near Khambhalia Gate,

Opp. 3 Digvijay Plot,

Gujarat

Jamnagar - 361005

Contact:

Report Of: Mrs. POOJA MAKWANA

Pt. Contact: 6352634760



Sample ID 2300189332

Patient ID 1002386133

Received on 29/09/2023 16:03

Registered on 29/09/2023 16:07

Reported on _

Referred by Dr. Jayesh Ahir

Patient DOB: 18/12/1997

Sonography by Dr. Jayesh Ahir

Understand Your Report In Detail

EVICOSCREEN - EVIDENCE BASED COMPREHENSIVE PRENATAL SCREENING REPORT

Patient Name: Mrs. POOJA MAKWANA

EVIC Screen is an evidence based prenatal screening program curated by Lilac Insights in accordance with the Fetal Medicine Foundation (UK) guidelines for First Trimester Screening to determine the probality of most common chromosomal aneuploidies in a pregnancy. It utilizes:

- Hormonal values from the pregnancy measured on Fetal Medicine foundation (UK) accredited analyzers and reagents
- Robust indigenous medians from over 7 lac+ pregnancies for different gestation ages
- Risk calculations from evidence based algorithms validated through large international studies

UKNEQAS: United Kingdom National External Quality Assessment Service

RIQAS: Randox International Quality Assessment Scheme



The Risk Assessment Performed Using
CE-marked Antenatal Risk Evaluation Software
Certified by the British Standards Institute
(BSI)-ISO 13485:2016

T21 (Down syndrome) 1: 30 High Risk LOW HIGH T18 (Edwards' syndrome) 1: 2700 Low Risk Neural tube/ Abdominal wall defect HIGH

MULTIPLE OF MEDIAN (MoM)

Free ß-hCG	3.43	
AFP	1.68	
uE3	0.41	
Inhibin-A	1.86	

INTERPRETATION

The Quadruple Screening for the given sample is found SCREEN POSITIVE for Down syndrome.

SUGGESTIONS AND OTHER FINDINGS

- Detailed anomaly scan and Genetic Sonogram to assess for markers and defects for chromosomal abnormalities.
- Definitive testing through fetal karyotyping to confirm.

In view of free bHCG MoMs observed in the mother, kindly consider correlation with fetal growth and well being scan at 28 - 30 weeks.







Verified by

Mr. Pradip Kadam
Incharge Biochemistry



Verified by **Dr. Suresh Bhanushali**MD (Path), Consultant Pathologist

Page 1 of 3









Patient name: Mrs. POOJA MAKWANA Sample ID: 2300189332

Sample Type:Serum

Risk assessment: Algorithm validated by SURUSS 2003, N.J Wald

Method:Time-resolved Fluroimmunoassay

		PREGNANCY DETAILS						
No. of fetuses	:1	EDD	: 20/02/2024	Age at Term	: 26.1 Years			
GA is Based on	: HC 161.3mm at 27/09/2023	LMP Date	: 26/05/2023	LMP Certainty	: Regular			
Smoking : None	Parity :	Height	:	Weight	: 50.00 Kg			
Ethinicity:Asian	FHR :							
Previous	pregnancy history	Pre-ec	lampsia history	Oth	ner findings			
Down syndrome	e Edwards' syndrome	PE in pre	vious pregnancy	Insulin de	ependent diabetes			
Patau syndrome	NTD syndrome	Pat. moth	ner had PE	Chronic l	nypertension			
EDD: Estimated Due Date GA: Gestation Age LMP: Last Menstrual Period FHR: Fetal Heart Rate NTD: Neural Tube Defect PE: Pre-eclampsia DOB: Date of Birth								
SDECIMEN DETAILS								

SPECIMEN DETAILS

Sample ID :2300189332 **CRL Test Name** Conc. Unit Corr. Mom Free-ß-hCG 37.20 ng/mL 3.43 **Collection Date** :27/09/2023 CRL2 AFP 97.30 U/mL 1.68 Scan Date :27/09/2023 BPD : 45.2 mm **GA at Coll Date** BPD2: uE3 02.76 nmol/L 0.41 : 19 Weeks 1 Days Inhibin A 393.21 pg/mL 1.86 **GA at Scan Date** : 19 Weeks 1 Days HC : 161.3 mm

Received on :29/09/2023 HC2

GA: Gestation Age | CRL: Crown Rump Length | BPD: Bi-parietal Diameter | HC: Head Circumference | free-B-hCG: free-Beta Human Chorionic Gonadotropin NT: Nuchal Translucency | PAPP-A: Pregnancy-associated Plasma Protein-A

RISKS

Disorder: Down Syndrome High Risk Result:

Final risk: 1:30 Age risk: 1:1300

Cutoff 1:250 Risk type Risk At Term

Disorder: Edwards' Syndrome Result: Low Risk

Final risk: 1:2700 Age risk: 1:8500 Cutoff 1:100 Risk type Risk At Term

Neural tube / Abdominal wall defect Result: Low Risk

Final risk: Age risk:

Cutoff 2.5 Risk type Risk at Term



















Patient name: Mrs. POOJA MAKWANA Sample ID: 2300189332

PRENATAL SCREENING BACKGROUND

Every pregnant woman carries a certain degree of risk that her fetus/baby may have certain chromosomal defect/ abnormalities. Diagnosis of these fetal chromosomal abnormalities requires confirmatory testing through analysis of amniocytes or Chorionic Villous Samples (CVS). However, amniocentesis and CVS procedures carry some degree of risk for miscarriage or other pregnancy complications (Tabor and Alfirevic, 2010). Therefore in routine practice, prenatal screening tests are offered to a pregnant woman to provide her a personalised risk for the most common chromosomal abnormalities (T21-Down syndrome, T18- Edwards' syndrome, T13- Patau syndrome) using her peripheral blood sample. Based on this risk assessment, if the risk is high or intermediate, you can take informed decision of opting for invasive procedure such as amniocentesis or CVS followed by confirmatory diagnostic test(s), as per discussion with your clinician.

PRENATAL SCREENING TESTS ARE NOT CONFIRMATORY TESTS. THEY ARE LIKELIHOOD ASSESSMENT TESTS.

You may get your prenatal screening result as either of the following:-

High Risk

High Risk or Screen Positive Result: A High Risk Result does not mean that the pregnancy is affected with the condition. It means that the likelihood of the pregnancy having a condition is higher than the cut-off (Most commonly used cut-off is 1:250 and this represents the risk of pregnancy loss from confirmatory testing through CVS or amniocentesis).

Low Risk

Low Risk or Screen Negative Result: A Low Risk result does not mean that the pregnancy is not affected with a condition. It means that the likelihood of the pregnancy having a condition is lower than the cut-off.

SIGNIFICANCE OF MULTIPLE OF MEDIANS (MoMs)

Prenatal Screening determines the likelihood of the pregnancy being affected with certain conditions by analysing levels of certain hormones. These hormones are Feto placental products (released by Fetus or placenta). Their levels not only indicate propensity of the fetus being affected with certain chromosomal conditions, they also provide indication of placental insufficiency that can potentially lead to pregnancy complications like Pre-Eclampsia or Intra-Uterine Growth Restriction. It is therefore important to take cognisance of the Reported MoMs alongside the Risk results.

For more information, visit our website at: <u>www.lilacinsights.com/faq-pns</u>

DISCLAIMERS

Limitations of the Test:

As prenatal screening tests are not confirmatory diagnostic tests, the possibility of false positive or false negative results can not be denied. The results issued for this test does not eliminate the possibility that this pregnancy may be associated with other chromosomal or sub- chromosomal abnormalities, birth defects and other complications.

Nuchal Translucency is the most prominent marker in screening for Trisomy 13, 18, 21 in the first trimester and should be measured in accordance with the Fetal Medicine Foundation (UK) guidelines. Nuchal Translucency or Crown Rump Length measurement, if not performed as per FMF (UK) imaging guidelines may lead to erroneous risk assessments and Lilac Insights bears no responsibility for errors arising due to sonography measurements not performed as per these criteria defined by international bodies such as FMF (UK), ISUOG.

It is assumed that the details provided along with the sample are correct. The manner in which this information is used to guide patient care is the responsibility of the healthcare provider, including advising for the need for genetic counselling or additional diagnostic testing like amniocentesis or Chorionic Villus Sampling. Any diagnostic test should be interpreted in the context of all available clinical findings. As with any medical test, there is always a chance of failure or error in sample analysis though extensive measures are taken to avoid these errors.

Note:

- Quality of the Down's Syndrome & ONTD screening program (Biochemical values, MoMs and Risk assessments) monitored by UKNEQAS on an ongoing basis.
- This interpretation assumes that patient and specimen details are accurate and correct.
- Lilac Insights does not bear responsibility for the Ultra sound measurements.
- This is a risk estimation test and not a diagnostic test. An increased risk result does not mean that the fetus is affected and a low risk result does not mean that the fetus is unaffected. Reported risks should be correlated and adjusted according to the absence/presence of sonographic markers observed in the anomaly/malformation scan.
- The above risk has been calculated based on Biochemistry values alone.
- It must be clearly understood that the results represent risk and not diagnostic outcomes. Increased risk does not mean that the baby is affected and further tests must be performed before a firm diagnosis can be made. A low risk result does not exclude the possibility of Down's Syndrome or other abnormalities, as the risk assessment does not detect all affected pregnancies.
- Each sample received at Lilac Insights' processing centre is handled with the utmost sensitivity and care. All samples received on Sundays and National holidays are stored as per specific guidelines for the respective specimens and processed on the next day.

END OF REPORT

Page 3 of 3





