





To: Subam Fetal Clinic-Madurai By Pass Road Madurai Tamil Nadu Madurai - 625001 Contact: Report Of: Mrs. VIJAYALAKSH	MI SIVA	Sample ID Patient ID Received on Registered on	2410006450 110242396 18/04/2024 11:59 18/04/2024 13:21	Understand Your Report In Detail
Pt. Contact: 100000000		Reported on	-	Scan QR code
		Referred by	Dr. R Priya	
		Sonography by	Dr. R Priya	

## EVICOSCREEN - EVIDENCE BASED COMPREHENSIVE PRENATAL SCREENING REPORT

## Patient Name: Mrs. VIJAYALAKSHMI SIVA

Patient DOB: 07/11/1994

EVIC Screen" is an evidence based prenatal screening program curated by Lilac Insights in accordance with the Fetal Medicine Foundation (UK)

guidelines for First Trimester Screening to determine the probality of most common chromosomal aneuploidies in a pregnancy. It utilizes:

- Hormonal values from the pregnancy measured on Fetal Medicine foundation (UK) accredited analyzers and reagents
- Robust indigenous medians from over 7 lac+ pregnancies for different gestation ages
- Risk calculations from evidence based algorithms validated through large international studies

### UKNEQAS: United Kingdom National External Quality Assessment Service

RIQAS: Randox International Quality Assessment Scheme



The Risk Assessment Performed Using CE-Marked Antenatal Risk Evaluation Software Certified by the British Standards Institute (BSI)- ISO 13485:2016

RISK ASSESSMENT					MULTIPLE OF
T21 (Down syndrome)	1:20	High Risk	LOW	INTERMEDIATE HIGH	MEDIAN (MoM)
T18 (Edwards' syndrome)	1:100000	Low Risk	LOW	HIGH	Free ß-hCG 4.02
T13 (Patau syndrome)	1:47000	Low Risk	LOW	HIGH	PAPP-A 1.51

# **INTERPRETATION**

The First Trimester Screening for the given sample is found SCREEN POSITIVE for Down Syndrome.

# SUGGESTIONS AND OTHER FINDINGS

• Detailed anomaly scan with integrated testing combining the second trimester biochemistry and Genetic Sonogram to assess for markers and defects for chromosomal abnormalities

• Definitive testing through fetal karyotyping to confirm.

In view of free bHCG MoMs observed in the mother, kindly consider correlation with fetal growth and well being scan at 28 - 30 weeks.



Verified by **Mr. Pradip Kadam** Incharge Biochemistry (FMF ID: 147760)

Beele

Verified by

Dr. Suresh Bhanushali MD (Path), Consultant Pathologist

A Sall

Page 1 of 3

Lilac Insights Pvt. Ltd. 301-302, Building A-1, Rupa Solitaire Millennium Business Park, MIDC Industrial Area, Sector-1, Navi Mumbai, Maharashtra 400710. Phone: +91 22 41841438; Website: www.lilacinsights.com; For queries or complaints, please email: info@lilacinsights.com | CIN - U85191MH2011PTC217513



Sample Type:Serum





#### Patient name : Mrs. VIJAYALAKSHMI SIVA

Sample ID: 2410006450

Risk assessment: Algorithm validated by SURUSS 2003, N.J Wald

Method:Elec	ctrochemiluminescence							
			PREGNANCY	DETAILS				
No. of fetuse	es :1		EDD	:26/10/2024	Age at Terr	n :29.9	Years	
GA is Based	on : CRL 61.6mm at	: CRL 61.6mm at 17/04/2024		:25/01/2024	LMP Certa	LMP Certainty : Regular		
Smoking : N	Smoking : None Parity :		Height	:	Weight	Weight : 63.00 Kg		
Ethinicity:As	sian <b>FHR</b> :							
Previous pregnancy history			Pre-eclampsia history		Other findings			
Down syndrome Edwards' syndrome		PE in previous pregnancy		Insulin dependent diabetes				
Patau syndrome NTD syndrome			Pat. mother had PE		Chro	Chronic hypertension		
EDD: Estimated Due Date   GA: Gestation Age   LMP: Last Menstrual Period   FHR: Fetal Heart Rate   NTD: Neural Tube Defect   PE: Pre-eclampsia   DOB: Date								
ofBirth SPECIMEN DETAILS								
Sample ID	:2410006450		61.6 mm	Test Name	Conc.	Unit	Corr. Mom	
Collection D		CRL2 :		Free-ß-hCG	144.30	ng/mL	4.02	
Scan Date	: 17/04/2024	BPD :		NB	Absent			
GA at Coll D	ate : 12 Weeks 4 Days	BPD2 :		NT	1.8	mm	1.30	
GA at Scan D	Date : 12 Weeks 4 Days	HC :		PAPP-A	5889.00	mIU/L	1.51	
Received on	: 18/04/2024	HC2 :						
GA: Gestation Age   CRL: Crown Rump Length   BPD: Bi-parietal Diameter   HC: Head Circumference   free-ß-hCG: free-Beta Human Chorionic Gonadotropin NT: Nuchal Translucency   PAPP-A: Pregnancy-associated Plasma Protein-A								
			DICK	~	_			
			RISK					
Disorder: Down Syndrome				Res	Result: High Risk		< 🔴	
Final risk:	1:20	Age risk:	1:1000					
Cutoff	1:250	Risk type	Risk At Term					
Disorder: Edwards' Syndrome			Res	ult:	Low Risl	< 🔴		
Final risk:	1:100000	Age risk:	1:7500					
Cutoff	1:100	Risk type	Risk At Term					
Disorder: Patau Syndrome Result: Low Risk						(		
Final risk:	1:47000	Age risk:	1:11000					



Cutoff

1:100



**Risk At Term** 

**Risk type** 



Page 2 of 3







Sample ID: 2410006450

### Patient name : Mrs. VIJAYALAKSHMI SIVA

## PRENATAL SCREENING BACKGROUND

Every pregnant woman carries a certain degree of risk that her fetus/baby may have certain chromosomal defect/ abnormalities. Diagnosis of these fetal chromosomal abnormalities requires confirmatory testing through analysis of amniocytes or Chorionic Villous Samples (CVS). However, amniocentesis and CVS procedures carry some degree of risk for miscarriage or other pregnancy complications (Tabor and Alfirevic, 2010). Therefore in routine practice, prenatal screening tests are offered to a pregnant woman to provide her a personalised risk for the most common chromosomal abnormalities (T21-Down syndrome, T18- Edwards' syndrome, T13- Patau syndrome) using her peripheral blood sample. Based on this risk assessment, if the risk is high or intermediate, you can take informed decision of opting for invasive procedure such as amniocentesis or CVS followed by confirmatory diagnostic test(s), as per discussion with your clinician.

### PRENATAL SCREENING TESTS ARE NOT CONFIRMATORY TESTS. THEY ARE LIKELIHOOD ASSESSMENT TESTS.

You may get your prenatal screening result as either of the following:-

High Risk

Low Risk

**High Risk or Screen Positive Result:** A High Risk Result does not mean that the pregnancy is affected with the condition. It means that the likelihood of the pregnancy having a condition is higher than the cut-off (Most commonly used cut-off is 1:250 and this represents the risk of pregnancy loss from confirmatory testing through CVS or amnicentesis).

. . .

Low Risk or Screen Negative Result: A Low Risk result does not mean that the pregnancy is not affected with a condition. It means that the likelihood of the pregnancy having a condition is lower than the cut-off.

**Intermediate Risk result:** An intermediate Risk result means that the pregnancy has an equivocal or a borderline risk of being affected with a condition. In this case, you may want to choose a second stage screening modality like an Integrated Screening Test that is done between 16 to 20 weeks of pregnancy or a Non-invasive Prenatal Screening Test between 12 to 20 weeks of pregnancy before taking a decision on an invasive confirmatory testing. This will help you improve the sensitivity of the screening test keeping an invasive test a last option were you to come as a high risk in the second stage screening test.

## SIGNIFICANCE OF MULTIPLE OF MEDIANS (MoMs)

Prenatal Screening determines the likelihood of the pregnancy being affected with certain conditions by analysing levels of certain hormones. These hormones are Feto placental products (released by Fetus or placenta). Their levels not only indicate propensity of the fetus being affected with certain chromosomal conditions, they also provide indication of placental insufficiency that can potentially lead to pregnancy complications like Pre-Eclampsia or Intra-Uterine Growth Restriction. It is therefore important to take cognisance of the Reported MoMs alongside the Risk results.

## For more information, visit our website at: <u>www.lilacinsights.com/faq-pns</u>

## DISCLAIMERS

#### Limitations of the Test:

As prenatal screening tests are not confirmatory diagnostic tests, the possibility of false positive or false negative results can not be denied. The results issued for this test does not eliminate the possibility that this pregnancy may be associated with other chromosomal or sub- chromosomal abnormalities, birth defects and other complications.

Nuchal Translucency is the most prominent marker in screening for Trisomy 13, 18, 21 in the first trimester and should be measured in accordance with the Fetal Medicine Foundation (UK) guidelines. Nuchal Translucency or Crown Rump Length measurement, if not performed as per FMF (UK) imaging guidelines may lead to erroneous risk assessments and Lilac Insights bears no responsibility for errors arising due to sonography measurements not performed as per these criteria defined by international bodies such as FMF (UK), ISUOG.

It is assumed that the details provided along with the sample are correct. The manner in which this information is used to guide patient care is the responsibility of the healthcare provider, including advising for the need for genetic counselling or additional diagnostic testing like amniocentesis or Chorionic Villus Sampling. Any diagnostic test should be interpreted in the context of all available clinical findings. As with any medical test, there is always a chance of failure or error in sample analysis though extensive measures are taken to avoid these errors.

#### Note:

- Quality of the Down syndrome screening program (Biochemical values, MoMs and Risk assessments) is monitored by UKNEQAS on an ongoing basis.
- This interpretation assumes that patient and specimen details are accurate and correct.
- Lilac Insights does not bear responsibility for ultrasound measurements like CRL,NT,NB etc. We strongly recommend that ultrasound measurements are
  performed as per FMF (UK)/ISUOG practice guidelines.
- It must be clearly understood that the results represent risk and not diagnostic outcomes. Increased risk does not mean that the baby is affected and
  further tests must be performed before a firm diagnosis can be made. A Low Risk result does not exclude the possibility of Down's syndrome or other
  abnormalities, as the risk assessment does not detect all affected pregnancies.
- Each sample received at Lilac Insights' processing centre is handled with the utmost sensitivity and care. All samples received on Sundays and National holidays are stored as per specific guidelines for the respective specimens and processed on the next day.

END OF REPORT



Page 3 of 3